

G O L A
N O R T H

F O R E S T R E S E R V E

DATE CONSTITUTED

10/11/29

P.N. 57 1930

73,792.00 Acres

THE FORESTRY ORDINANCE

(CAP. 86)

THE FORESTRY (GOLA FOREST NORTH FOREST RESERVE)

ORDER-IN-COUNCIL 1930

ORDER

This Order may be cited as the Forestry (Forest Reserve) (Gola Forest North) Order.

2. The lands within the limits specified in the Schedule hereto shall be a forest reserve.

3. The natives of the Gaura, Malema, Nomo and Tunkia Chiefdoms shall be entitled at all times to enter the forest reserve hereby created without let or hindrance for the following purposes:-

- (a) Collecting the fruits of all plants sown or planted by them before the 13th day of March, 1929;
- (b) Collecting the fruit of the *elaecis guineensis*;
- (c) Hunting, capturing or killing all wild animals, birds, fish, or reptiles, in accordance with the law;
- (d) Tapping palms of the species *raphia vinifera* for palm wine;
- (e) Travelling through the reserve from place to place, and in particular to keep open the road between Wawaihun (Nomo) and Bandauma (Malema);
- (f) Collecting such forest produce as may be reasonably necessary for erecting buildings of native construction for their own use and as may be set aside for this purpose by the Conservator of Forests, or by an officer authorised by him in that behalf:

Provided that the Conservator of Forests or officer so authorised by him shall set aside sufficient forest produce to satisfy the reasonable requirements of the said natives for the purpose aforesaid.

Provided always that none of these reserved rights may be sold or disposed of or exercised by agents.

SCHEDULE

Commencing at boundary stone No. 1 which is situated on the Goli-Madina road 8,500 feet west of the village of Goli in the Malema Chiefdom in the Pendembu District of the South-Eastern Province, the boundary runs thence in the Malema Chiefdom on a magnetic bearing of 255 degrees for a distance of 1,127 feet to boundary stone No. 2; thence on a magnetic bearing of 320 degrees for a distance of 650 feet

to boundary stone No. 3; thence on a magnetic bearing of 255 degrees for a distance of 588 feet to boundary stone No. 4; thence on a magnetic bearing of 196 degrees for a distance of 672 feet to boundary stone No. 5; thence on a magnetic bearing of 255 degrees for a distance of 675 feet to boundary stone No. 6; thence on a magnetic bearing of 225 degrees for a distance of 1,349 feet to boundary stone No. 7; thence on a magnetic bearing of 305 degrees for a distance of 772 feet to boundary stone No. 8; thence on a magnetic bearing of 255 degrees for a distance of 897 feet to boundary stone No. 9; thence on a magnetic bearing of 175 degrees for a distance of 3,603 feet to boundary stone No. 10; thence on a magnetic bearing of 205 degrees for a distance of 680 feet to boundary stone No. 11; thence on a magnetic bearing of 245 degrees for a distance of 5,219 feet to boundary stone No. 12; thence on a magnetic bearing of 320 degrees for a distance of 744 feet to boundary stone No. 13; thence on a magnetic bearing of 255 degrees for a distance of 15,127 feet to boundary stone No. 14; thence on a magnetic bearing of 245 degrees for a distance of 6,900 feet to boundary stone No. 15; thence on a magnetic bearing of 135 degrees for a distance of 7,900 feet to boundary stone No. 16; thence on a magnetic bearing of 225 degrees for a distance of 2,800 feet to boundary stone No. 17; thence on a magnetic bearing of 274 degrees for a distance of 9,200 feet to boundary stone No. 18, which is situated in Nomo Chieftdom in the Mano River District in the South-Western Province; thence in the Nomo Chieftdom on a magnetic bearing of 184 degrees for a distance of 1,853 feet to boundary stone No. 19; thence on a magnetic bearing of 274 degrees for a distance of 4,565 feet to boundary stone No. 20; thence on a magnetic bearing of 264 degrees for a distance of 12,817 feet to boundary stone No. 21; thence on a magnetic bearing of 170 degrees for a distance of 5,731 feet to boundary stone No. 22; thence on a magnetic bearing of 300 degrees for a distance of 1,346 feet to boundary stone No. 23; thence on a magnetic bearing of 280 degrees for a distance of 20,000 feet to boundary stone No. 24; thence on a magnetic bearing of 200 degrees for a distance of 4,850 feet to boundary stone No. 25; thence on a magnetic bearing of 270 degrees for a distance of 1,754 feet to boundary stone No. 26; thence on a magnetic bearing of 245 degrees for a distance of 1,000 feet to boundary stone No. 27; thence on a magnetic bearing of 155 degrees for a distance of 1,430 feet to boundary stone No. 28; thence on a magnetic bearing of 245 degrees for a distance of 14,900 feet to boundary stone No. 29; thence on a magnetic bearing of 290 degrees for a distance of 5,300 feet to boundary stone No. 30; thence on a magnetic bearing of 50 degrees for a distance of 3,626 feet to boundary stone No. 31; thence on a magnetic bearing of 320 degrees for a distance of 3,716 feet to boundary stone No. 32; thence on a magnetic bearing of 50 degrees for a distance of 29,694 feet to boundary stone No. 33; thence on a magnetic bearing of 300 degrees for a distance of 5,000 feet to boundary stone No. 34; thence on a magnetic bearing of 288 degrees for a distance of 9,000 feet to boundary stone No. 35; thence on a magnetic bearing of 236 degrees for a distance of 15,700 feet to boundary stone No. 36; thence on a magnetic bearing of 300 degrees for a distance of 2,400 feet to boundary stone No. 37; thence on a magnetic bearing of 360 degrees for a distance of 1,400 feet to boundary stone No. 38; thence on a magnetic bearing of 250 degrees for a distance of 1,564 feet to boundary stone No. 39; thence on a magnetic bearing of 270 degrees for a distance of 5,100 feet to boundary stone No. 40; thence on a magnetic bearing of 360 degrees for a distance of 447 feet to boundary stone No. 41; thence on a magnetic bearing of 270 degrees for a distance of

1,086 feet to boundary stone No.42, which is situated on the intertribal boundary between the Nomo and Tunkia Chiefdoms in the Mano River District in the South-Western Province, thence in the Tunkia Chiefdom on a magnetic bearing of 270 degrees for a distance of 3,000 feet to boundary stone No.43; thence on a magnetic bearing of 360 degrees for a distance of 1,695 feet to boundary stone No.44; thence on a magnetic bearing of 90 degrees for a distance of 1,396 feet to boundary stone No.45; thence on a magnetic bearing of 360 degrees for a distance of 3,000 feet to boundary stone No.46; thence on a magnetic bearing of 15 degrees for a distance of 4,300 feet to boundary stone No.47; thence on a magnetic bearing of 90 degrees for a distance of 1,604 feet to boundary stone No.48; thence on a magnetic bearing of 15 degrees for a distance of 5,700 feet to boundary stone No.49, which is situated in the Gaura Chiefdom in the Kenema District in the South-Eastern Province, thence in the Gaura Chiefdom on a magnetic bearing of 65 degrees for a distance of 22,000 feet to boundary stone No.50; thence on a magnetic bearing of 335 degrees for a distance of 3,000 feet to boundary stone No.51; thence on a magnetic bearing of 65 degrees for a distance of 6,100 feet to boundary stone No.52; thence on a magnetic bearing of 155 degrees for a distance of 1,500 feet to boundary stone No.53; thence on a magnetic bearing of 65 degrees for a distance of 1,464 feet to boundary stone No.54; thence on a magnetic bearing of 155 degrees for a distance of 3,150 feet to boundary stone No.55; thence on a magnetic bearing of 65 degrees for a distance of 1,762 feet to boundary stone No.56; thence on a magnetic bearing of 155 degrees for a distance of 1,192 feet to boundary stone No.57; thence on a magnetic bearing of 95 degrees for a distance of 1,329 feet to boundary stone No.58; thence on a magnetic bearing of 90 degrees for a distance of 15,240 feet to boundary stone No.59, which is situated in the Malema Chiefdom in the Pendembu District in the South-Eastern Province, thence in the Malema Chiefdom on a magnetic bearing of 360 degrees for a distance of 1,335 feet to boundary stone No.60; thence on a magnetic bearing of 120 degrees for a distance of 1,600 feet to boundary stone No.61; thence on a magnetic bearing of 90 degrees for a distance of 14,035 feet to boundary stone No.62; thence on a magnetic bearing of 360 degrees for a distance of 1,757 feet to boundary stone No.63; thence on a magnetic bearing of 90 degrees for a distance of 1,232 feet to boundary stone No.64; thence on a magnetic bearing of 35 degrees for a distance of 3,388 feet to boundary stone No.65; thence on a magnetic bearing of 125 degrees for a distance of 1,076 feet to boundary stone No.66; thence on a magnetic bearing of 80 degrees for a distance of 390 feet to boundary stone No.67; thence on a magnetic bearing of 35 degrees for a distance of 244 feet to boundary stone No.68; thence on a magnetic bearing of 90 degrees for a distance of 2,538 feet to boundary stone No.69; thence on a magnetic bearing of 360 degrees for a distance of 82 feet to boundary stone No.70; thence on a magnetic bearing of 90 degrees for a distance of 4,503 feet to boundary stone No.71; thence on a magnetic bearing of 360 degrees for a distance of 536 feet to boundary stone No.72; thence on a magnetic bearing of 100 degrees for a distance of 543 feet to boundary stone No.73; thence on a magnetic bearing of 90 degrees for a distance of 1,744 feet to boundary stone No.74; thence on a magnetic bearing of 360 degrees for a distance of 1,898 feet to boundary stone No.75; thence on a magnetic bearing of 90 degrees for a distance of 5,200 feet to boundary stone No.76; thence on a magnetic bearing of 35 degrees for a distance of 653 feet to boundary stone No.77; thence on a magnetic bearing of 90 degrees for a distance of 4,773 feet to boundary stone No.78; thence on a magnetic bearing of 180 degrees for a distance of 1,147

feet to boundary stone No.79; thence on a magnetic bearing of 110 degrees for a distance of 1,586 feet to boundary stone No.80; thence on a magnetic bearing of 50 degrees for a distance of 202 feet to boundary stone No.81; thence on a magnetic bearing of 45 degrees for a distance of 422 feet to boundary stone No.82; thence on a magnetic bearing of 90 degrees for a distance of 460 feet to boundary stone No.83; thence on a magnetic bearing of 65 degrees for a distance of 577 feet to boundary stone No.84; thence on a magnetic bearing of 125 degrees for a distance of 3,428 feet to boundary stone No.85; thence on a magnetic bearing of 100 degrees for a distance of 4,792 feet to boundary stone No.86; thence on a magnetic bearing of 180 degrees for a distance of 3,058 feet to boundary stone No.87; thence on a magnetic bearing of 145 degrees for a distance of 4,000 feet to boundary stone No.88; thence on a magnetic bearing of 225 degrees for a distance of 1,730 feet to boundary stone No.89; thence on a magnetic bearing of 145 degrees for a distance of 889 feet to boundary stone No.90; thence on a magnetic bearing of 200 degrees for a distance of 592 feet to boundary stone No.91; thence on a magnetic bearing of 135 degrees for a distance of 1,500 feet to boundary stone No.92; thence on a magnetic bearing of 115 degrees for a distance of 1,359 feet to boundary stone No.93; thence on a magnetic bearing of 75 degrees for a distance of 949 feet to boundary stone No.94; thence on a magnetic bearing of 90 degrees for a distance of 4,713 feet to boundary stone No.95; thence on a magnetic bearing of 172 degrees for a distance of 5,640 feet to boundary No. 1 which is described above.