

S O U T H K A M B U I

H I L L S

F O R E S T R E S E R V E

SOUTH KAMBUI HILLS FOREST RESERVE

PART OF S. L. S. SHEET 98



SCALE 1.014" TO 1 MILE



REFERENCE

Rivers shown thus	<u>MOA</u>	Towns shown thus	• Selabu
Streams " "	<u>meni</u>	Villages " "	• Jene
Roads " "	==	Forest Reserve	—
Footpaths " "	- - - -		

Form lines approximately 50 feet Vertical Interval.
Heights are given in feet above Sea Level.

THE FORESTRY ORDINANCE

(CAP. 86)

THE FORESTRY (SOUTH KAMBUI HILLS FOREST RESERVE)

ORDER IN COUNCIL 1932

ORDER

This Order may be cited as the Forestry (Forest Reserve) (South Kambui Hills) Order.

2. The lands specified in the schedule hereto shall be constituted a forest reserve.

3. The natives of the Nyawa, Barri and Koya Chiefdoms shall be entitled at all times to enter upon so much of the lands of the forest reserve as are in their respective chiefdoms without fee, let or hindrance, for the purpose of hunting and fishing and obtaining building material, palm products, fruits and honey, and on licence to fell timber.

SCHEDULE

Starting from boundary stone No. 1, which is situated about one mile North-West of the village of Serabu in the Koya Chiefdom in the Mano River District in the South-Western Province, thence on a magnetic bearing of 532 degrees to boundary stone No. 2, distant 7,190 feet; thence on a magnetic bearing of 340 degrees to boundary stone No. 3, distant 6,701 feet; thence on a magnetic bearing of 243 degrees to boundary stone No. 4, distant 4,144 feet; thence on a magnetic bearing of 247 degrees to boundary stone No. 5, distant 2,392 feet; thence on a magnetic bearing of 226 degrees to boundary stone No. 6, distant 936 feet; thence on a magnetic bearing of 195 degrees to boundary stone No. 7, distant 996 feet; thence on a magnetic bearing of 232 degrees to boundary stone No. 8, distant 217 feet; thence on a magnetic bearing of 255 degrees to boundary stone No. 9, distant 1,180 feet; thence down the Teya stream for 779 feet to boundary stone No. 10, thence on a magnetic bearing of 241 degrees to boundary stone No. 11, distant 1,920 feet; thence on a magnetic bearing of 305 degrees to boundary stone No. 12, distant 1,731 feet; thence on a magnetic bearing of 260 degrees to boundary stone No. 13, distant 103 feet; thence on a magnetic bearing of 235 degrees to boundary stone No. 14, distant 663 feet; thence on a magnetic bearing of 218 degrees to boundary stone No. 15, distant 394 feet; thence on a magnetic bearing of 237 degrees to boundary stone No. 16, distant 770 feet; thence on a magnetic bearing of 160 degrees to boundary stone No. 17, distant 1,241 feet; thence on a magnetic bearing of 217 degrees to boundary stone No. 18, distant 840 feet; thence on a magnetic bearing of 258 degrees to boundary stone No. 19, distant 694 feet; thence on a magnetic bearing of 288 degrees to boundary stone No. 20, distant 423 feet; thence on a magnetic bearing of 248 degrees to boundary stone No. 21, distant 400 feet; thence on a magnetic bearing of 171 degrees to boundary stone No. 22, distant 618 feet; thence on a magnetic bearing of 104 degrees to boundary stone No. 23, distant 11,413 feet; thence on a magnetic bearing of 48 degrees for 178 feet, to boundary stone No. 1, which is described above.